# Canted Pipe & Equip. Support

## MODEL: CES







STANDARD FEATURES:

18 GA. GAL. BODY
CONTINUOUS WELDED SEAM
WOOD NAILER
18 GA. GAL. CAP

BRACES 24" O.C.

OPTIONAL FEATURES:

- ☐ 16 GA. GAL. BODY
- ☐ 14 GA. GAL. BODY
- ☐ .063 ALUM. BODY
- ☐ 18 GA. 304 S.S. BODY
- ☐ 24 GA. 304 S.S. CAP, SPOT WELD

| QTY | A | B | H | MATT | TAG # | SPECIAL INSTRUCTIONS |
|---|---|---|---|---|---|---|
| 2 | | | | | | |
| 2 | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

# Self Flashing Equipment Support
# MODEL: SFES







STANDARD FEATURES:

18 GA. GAL. BODY
CONTINUOUS WELDED SEAM
WOOD NAILER
WELDED 18 GA. GAL. CAP

BRACES 24" O.C.

OPTIONAL FEATURES:

- ☐ 16 GA. GAL. BODY
- ☐ 14 GA. GAL. BODY
- ☐ .063 ALUM. BODY
- ☐ 18 GA. 304 S.S. BODY
- ☐ 24 GA. 304 S.S. CAP, SPOT WELD

| QTY | A | B | H | MATT | TAG # | SPECIAL INSTRUCTIONS |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

# Raised Cant Equipment Support
# MODEL: RCES







STANDARD FEATURES:

18 GA. GAL. BODY
CONTINUOUS WELDED SEAM
WOOD NAILER
24 GA. GAL. CAP
SPOT WELDED END SEAMS
BRACES 24" O.C.

OPTIONAL FEATURES:

- ☐ 16 GA. GAL. BODY
- ☐ 14 GA. GAL. BODY
- ☐ .063 ALUM. BODY
- ☐ 18 GA. 304 S.S. BODY
- ☐ 24 GA. 304 S.S. CAP, SPOT WELD
- ☐ SOLDERED CAP END SEAMS
- ☐ WELDED 18 GA. CAP

| QTY | A | B | H | R | MATT | TAG # | SPECIAL INSTRUCTIONS |
|---|---|---|---|---|---|---|---|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

# *Pitched Equipment Support*
# *MODEL: PES*







STANDARD FEATURES:

18 GA. GAL. BODY
CONTINUOUS WELDED SEAM
WOOD NAILER
24 GA. GAL. CAP
SPOT WELDED END SEAMS
BRACES 24" O.C.

OPTIONAL FEATURES:

- ☐ 16 GA. GAL. BODY
- ☐ 14 GA. GAL. BODY
- ☐ .063 ALUM. BODY
- ☐ 18 GA. 304 S.S. BODY
- ☐ 24 GA. 304 S.S. CAP, SPOT WELD
- ☐ SOLDERED CAP END SEAMS
- ☐ WELDED 18 GA. CAP

xxxx _____ on 12 PITCH

Quote: XXXXX

| QTY | A | B | H | MATT | TAG # | SPECIAL INSTRUCTIONS |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |